MYSORE DIVISION.

Notification dated 8th May 1929.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Mysore Division, up to 3 P.M., on 10th June 1929, for Restoring Chickyagati Tank, Nagamangala Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of May 1931.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Mysore Division, Mysore, between the hours of 11 A.M. to 5 P.M on office days.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed :—

Description of work	Unit of work	Rate per unit

4. Each tender must be accompanied by a deposit of Rs. 1,000 (one thousand only) in cash or Government Promissory Notes, as earnest money and be superscribed "Tender for Restoring Chickyagati Tank, Nagamangala Taluk", in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Rates should be quoted for each item of work.

10. With regard to lumpsum items the tender should be quoted in lumpsum only.

Abstract estimate for restoring Chikyagati Tank Reg. No. nil, Nagamangala Taluk, Mysore District :—

Serial No.	Items of work	Per	Quantity
	I. *Bund R. L.* 63·00.		
1	Earthwork to bund including watering and tamping and consolidating, etc., complete breached portion.	C.yd.	18,402
2	Do in other portions	,,	13,088
3	Excavating foundation in hard gravelly soil for puddle wall ..	,,	733
4	Puddle wall with black clay and gravel	,,	3,580
5	Burnt brick in surki mortar	C.ft.	3,971
6	Jungle clearing	Lump	sum
7	Baling out water	Lump	sum
8	Cutting grips in old bund	Lump	sum
9	Old stone work with new jelly	C.yd.	312
10	New stone work with 6" jelly backing	,,	3,527
11	One foot (1 ft.) gravel backing behind revetment	,,	1,720
12	Providing new grade stones complete	Each	15
13	Providing good Index stones	,,	15
14	Do B. M. stones complete	,,	2
15	Do Gauge stone do	,,	1
16	Do date and Reg. No. stones ...	,,	2
17	Turfing	S.yd.	6,940
18	Draining the base of bund through longl : and cross jelly drains...	Lump	sum

Serial No.	Items of work	Per	Quantity
	II. *Sluice at R. L. 42·00 at Right end.*		
1	Earthwork excavation gravelly soil and refilling ...	C.yd.	852
2	Jelly concrete in surki mortar	C.ft.	413
3	Burnt brick in surki mortar	,,	4,486
4	Burnt stone slabs roughly dressed 3″ and 6″ thick ...	S.ft.	836
5	Cut stone upper and lower orifies slabs neatly dressed ...	Lump	sum
6	Plastering with surki mortar	Sqr.	17·69
7	Plug rod of iron with lock plug gearing action complete ...	Lump	sum
8	New stone work, etc.	Lump	sum
	III. *Waste Weir of 280′ long R. L. 56·00.*		
1	Earthwork excavation in gravelly and rocky soil	C.yd.	381
2	Burnt brick in surki motar	C.ft.	14,716
3	Burnt stone slabs 6″ thick dressed with stone joggles 6′ to 8′ apart.	S.ft.	951
4	Plastering with surki mortar	Sqrs.	31·42
5	Strengthening wing and flank bunds and revetting the sides of returns,	Lump	sum
6	Draft and approach clearing	Lump	sum
	IV. *Right Sluice Channel 3¼ mile in length.*		
1	Earthwork excavation ordinary soil	C.yd.	4,747
2	Do soft rock with boulders	,,	1,583
3	Constructing R. W. No. 7 (total length 369 ft.) rate to be quoted per foot run.		
	Details for 50′ length :—		
	(1) Earthwork excavation	,,	37
	(2) Jelly concrete in surki mortar	C.ft.	568
	(3) Burnt brick in surki mortar	,,	492
	(4) Coping with surki concrete and smoothening ..	,,	88
	(5) Rough jelly	C.yd.	17
	(6) Rough stone work new	,,	67
	(7) Plastering with surki mortar	Sqr.	3·75
4	Mile stone including zero stone cutting figures and painting, etc., complete.	Each	4
5	Bed grade stones (as per specification)	,,	56
6	½ furlong stones or top grade stones	,,	56
7	Constructing one road bridge across sluice channel —		
	(1) Earthwork excavation	C.yd.	11
	(2) Burnt brick in surki mortar	C.ft.	463
	(3) Burnt stone slabs roughly dressed	S.ft.	106
	(4) Coping with surki concrete and smoothening ...	C.ft.	10
	(5) Plastering with surki mortar	Sqr.	2·04
8	Constructing 3 cart bridges across sluice channel:—		
	Details for one :—		
	(1) Earthwork excavation	C.yd.	7
	(2) Burnt brick in surki mortar	C.ft.	325
	(3) Burnt stone slabs roughly dressed	S.ft.	57
	(4) Plastering with surki mortar	Sqr.	1·76
	(5) Coping with surki concrete and smoothening ...	C.ft.	13
9	Constructing 15 cast iron pipe sluices 4″ dia :—		
	Details for one :—		
	(1) Earthwork excavation	C.yd.	2
	(2) Burnt brik in surki mortar	C.ft.	47
	(3) Plastering with surki mortar	Sqr.	0·70
	(4) Cast iron pipe of 4″ dia. 9′ long including carting and fixing.	R.ft.	9

N. G. KRISHNA IYENGAR,
Executive Engineer.

KOLAR DIVISION

Notice dated 10th May 1929.

Notice is hereby given that sealed tenders will be received at the Office of the Executive Engineer, Kolar Division, up to 2 P.M. of 1st June 1929, for restoring Perumachanahalli Minor Tank R. No. 427—454, Chintamani Taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of December 1929.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's Office at Kolar, between the hours of 11 A.M. to 5 P.M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer. The tenders should be accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed :—

4. Each tender must be accompanied by a deposit of rupees three hundred in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for restoring Perumachanahalli Minor Tank, Chintamani Taluk," in default of which, tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's Office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

9. Tenderers must quote specific rates for each item of work both in words and in figures.

10. The tenders stating that the work would be executed at a certain percentage in excess or lower than the estimate will not be accepted.

Abstract estimate of the probable cost of restoring Perumachanahalli Tank R. No. 427—454 of Chintamani Taluk.

Serial No.	Items of work	Per	Quantity	Rate Rs.	a.	p.	Cost Rs.
	Bund.						
1	Earthwork watering and tamping ...	C.yds.	5,859				
2	Removing loose soil ...	"	426				
3	Turfing ...	S.yds.	4,438				
4	Resetting old stone with new jelly ...	C.yds.	325				
5	New stone work ...	"	927				
6	Grade stones, cutting figures and painting ...	No.	21				
7	Index stones do do ...	"	21				
8	Register No. stone do do ...	"	1				
9	Gauge stone do do ...	"	1				
10	B. M. stones do do ...	"	2				
11	Jungle clearing	Grades	10				
12	Removing top soil	"	10				
	Total Bund ...			...	...	...	...
	Sluice.						
1	Earthwork excavation ...	C.yds.	41				
2	Refilling with watering and tamping ...	"	145				
3	Concrete in surki mortar ...	C.ft.	424				
4	Burnt brick in surki mortar ...	"	279				
5	Burnt stone slabs 6" thick	S.ft.	227				
6	Surki mortar plastering	Sqr.	5·76				
7	Providing plug and rod with locking arrangement.	L. S.	Rs.				
8	Dismantling old sluice and removing debris ...	L. S.	Rs.				
9	Drilling holes, etc., in cross and orifice slabs ...	L. S.	Rs.				
	Total Sluice ...	...	...	...	...	...	...

Serial No.	Items of work	Per	Quantity	Rate Rs.	a.	p.	Cost Rs.
	Waste Weir.						
1	Earthwork excavation	C.yds.	79				
2	Surki concrete	C.ft.	434				
3	Burnt brick in surki mortar	,,	1,005				
4	Burnt stone slabs 6" thick	S.ft.	346				
5	Surki mortar plastering	Sqr.	11·25				
6	New stone work	C.yds.	84				
7	Joggle joints 6' apart	Each	15				
	Total waste weir ...	...	..	...	...	...	...
	Total bund, sluice and weir ...	...	...	...	...	...	...
	Contingencies at 5% ...	...	...	...	...	...	...
	Total ...	...	...	..	...	...	...
	Compensation for submerging lands ...	..	...	...	...	...	...
	Grand Total ...	...	...	...	..	...	...

N. LAKSHMINARASIMHAIYA,
Executive Engineer.

BANGALORE DIVISION.

Notice dated 10th May 1929.

For "Chief Engineer" in line one clause 5 of the Notification dated 6th May 1929, on page 398 of Part VI of the *Mysore Gaztete*, dated 9th May 1929, read "Secretary P. W. D."

H. R. VENKATASUBBA RAO,
Executive Engineer,

OFFICE OF THE SECRETARY, STORES PURCHASE COMMITTEE, BANGALORE.

Notice No. 13376, *dated 8th May* 1929.

1. Sealed tenders for the supply of stationery articles required for the Government Medical Stores during the year 1929-30 will be received by the undersigned up to 5 P.M. on 1st June 1929.

2. A sum of Rupees 200 in cash towards earnest money should be remitted to the Officer-in-charge of the State Huzur Treasury, Bangalore, with challans duly filled in by the tenderers, the fact of such remittance being noted in the tenders sent to this office.

3. Forms of tender and challans for remitting earnest moneys may be obtained from the office of the Secretary, Stores Purchase Committee on payment of Rupee one (in cash only) being the price fixed for the form.

The form will not be sent by V. P. P.

By Order.
M. G. MEHKRI,
Secretary.

OFFICE OF THE INSPECTOR-GENERAL OF POLICE IN MYSORE.

Notice No. dated 1929.

An oscilating electric fan (110 O. G. E.) of this office will be sold by public auction in the premises of the Office of the Inspector-General of Police, Fort, Bangalore at 3 P.M. Saturday 8th June 1929. The sale is subject to cofirmation by the Inspector-General of Police who reserves to himself the power of accepting or rejecting any bid without assigning any reason therefor. The highest bidder shall pay the whole amount of the sale immediately after the sale is concluded. If he fails to do so, the fan will be resold in which case he shall not be entitled to any sum which may be realised in excess of his bid in the 1st sale.

S. HIRIANNAIYA,
Inspector-General of Police.

KOLAR DISTRICT.

Notification dated 13th May 1929.

The period for the acceptance of tender for the lease of grazing in the plantations of the Kolar District is extended up to 31st May 1929.

L. P. MASCARENHAS,
District Forest Officer.